

MONTHLY NOTICES  
OF THE  
ROYAL ASTRONOMICAL SOCIETY

CONTAINING  
PAPERS PUBLISHED IN THE PERIOD  
1987 JULY TO AUGUST

VOL. 228

EDITORIAL BOARD

DR M. J. BARLOW, DEPARTMENT OF PHYSICS AND ASTRONOMY, UNIVERSITY COLLEGE, LONDON

DR M. G. EDMUNDS, DEPARTMENT OF APPLIED MATHEMATICS AND ASTRONOMY, CARDIFF

PROFESSOR A. C. FABIAN, INSTITUTE OF ASTRONOMY, CAMBRIDGE

DR D. R. FLOWER, DEPARTMENT OF PHYSICS, UNIVERSITY OF DURHAM


DR J. R. SHAKESHAFT, MULLARD RADIO ASTRONOMY OBSERVATORY, CAMBRIDGE

DR R. S. STOBIE, ROYAL OBSERVATORY, EDINBURGH

PROFESSOR R. J. TAYLER, UNIVERSITY OF SUSSEX ASTRONOMY CENTRE

DR P. M. WILLIAMS, ROYAL OBSERVATORY, EDINBURGH

Published for the Royal Astronomical Society by  
Blackwell Scientific Publications  
Oxford London Edinburgh Boston Palo Alto Melbourne



# AUTHOR INDEX

- Adelman, S.J. Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms - II. The mercury-manganese stars 53 Tauri, Mu Leporis and Kappa Cancr, 228, 573
- Aitken, D.K. *see* Roche, P.F.
- Amerongen van, S., Augusteijn, T., Paradijs van, J. Spin-down of the white dwarf in the intermediate polar V1223 Sgr 4U1849-31, 228, 377
- Atherton, P.D. *see* Bland, J.
- Augusteijn, T. *see* Amerongen van, S.
- Axon, D.J. *see* Unger, S.W.
- Baring, M. Reaction rates and spectra in relativistic plasmas, 228, 681
- Baring, M. The effect of cooling processes on the tail of a relativistic thermal pair distribution, 228, 695
- Barrow, J.D. *see* Coles, P.
- Barstow, M.A. Observations of X-ray emission from the RS CVn binary HD 155555 and the detection of a nearby serendipitous source, 228, 251
- Batt, T.J. *see* Snijders, M.A.J.
- Baxter, D.A., Disney, M.J., Philipps, S. Photometric analysis and decomposition of AP Librae (PKS 1514-24), 228, 313
- Berrilli, F., Lorenzetti, D., Saraceno, P., Strafella, F. Multiband photometry (8-13  $\mu$ m) of Herbig Ae/Be stars, 228, 833
- Berriman, G. A new analysis of the infrared eclipses of the ultra-short period dwarf nova OY Carinae, 228, 729
- Bhattacharjee, S.K. On the pre-main-sequence evolution of stars with mass accretion, 228, 289
- Biggs, J.D., McCulloch, P.M., Hamilton, P.A., Manchester, R.N. The drifting subpulses of PSR 0813-13, 228, 119
- Bjorkman, K.S. *see* Taylor, A.R.
- Blades, J.C. *see* Snijders, M.A.J.
- Bland, J., Taylor, K., Atherton, P.D. The structure and kinematics of the ionized gas within NGC 5128 (Cen A) - I. TAURUS observations, 228, 595
- Bode, M.F., Seaquist, E.R., Evans, A. Radio survey of classical novae, 228, 217
- Bohringer, H., Hartquist, T.W. Steady models of radiatively modified conductively driven evaporation from interstellar clouds, 228, 915
- Brand, P.W.J.L. *see* Leggett, S.K.
- Bridle, A.H. *see* Laing, R.A.
- Brinkman, W. *see* Stewart, G.C.
- Browne, I.W.A. *see* Wilkinson, A.
- Clegg, R.E.S., Middlemass, D. Non-LTE model atmospheres for central stars of planetary nebulae, 228, 759
- Coles, P., Barrow, J.D. Non-Gaussian statistics and the microwave background radiation, 228, 407
- Cordova, F.A. *see* Hellier, C.
- Crawford, C.S. *see* Fabian, A.C.
- Cropper, M. Polarimetry of BL Hyi (H0139-68) in high and low states, 228, 389
- Cropper, M.S. *see* Kurtz, D.W.
- Crotts, A.P.S. Are voids found in the Lyman-alpha forest?, 228, 41P
- Disney, M.J. *see* Baxter, D.A.
- Dogiel, V.A., Gurevich, A.V., Instomin, Y.N., Zybin, K.P. On relativistic particle acceleration in molecular clouds, 228, 843
- Doherty, L.R. *see* Eker, Z.
- Duffy, A.G., Hawkes, R.L., Jones, J. The determination of shower meteor parameters from single station observations, 228, 55
- Dyson, J.E., Hartquist, T.W. Mass loaded astronomical flows - III. The structure of supernova remnants and the local soft X-ray background, 228, 453
- Dyson, J.E. *see* Hartquist, T.W.
- Eker, Z., Doherty, L.R. H $\alpha$  region spectroscopy of the RS CVn system HR 5110, 228, 869
- Elvis, M. *see* Unger, S.W.
- Evans, A. *see* Bode, M.F.
- Fabian, A.C., Crawford, C.S., Johnstone, R.M., Thomas, P.A. A cooling flow around the quasar 3C 48, 228, 963
- Fabian, A.C. *see* Foster, A.J.
- Fabian, A.C. *see* Thomas, P.A.
- Flin, P. The alignment of galaxy clusters, 228, 941
- Flower, D.R. *see* Monteiro, T.S.
- Flower, D.R. *see* Pineau des Forêts
- Foster, A.J., Ross, R.R., Fabian, A.C. The formation of iron features in the cooling spectrum of X-ray bursts, 228, 259
- Glatzel, W. On the stability of compressible differentially rotating cylinders - II, 228, 77
- Gledhill, T.M. *see* Scarrott, S.M.
- Goldreich, P. *see* Narayan, R.
- Goodman, J. *see* Narayan, R.
- Gower, A.C. *see* Saikia, D.J.
- Gurevich, A.V. *see* Dogiel, V.A.
- Hamilton, P.A. *see* Biggs, J.D.

# Author index

- Harmon, R.T., Lahav, O., Meurs, E.J.A. The dipole anisotropy of a new, colour-selected, *IRAS* galaxy sample, 228, 5p
- Hartquist, T.W., Dyson, J.E. The formation of discrete high velocity molecular features, 228, 957
- Hartquist, T.W. *see* Bohringer, H.
- Hartquist, T.W. *see* Dyson, J.E.
- Hasan, S.S., Sobouti, Y. Mode classification and wave propagation in a magnetically structured medium, 228, 427
- Hawkes, R.L. *see* Duffy, A.G.
- Heaton, B.D. *see* Richards, P.J.
- Hellier, C., Mason, K.O., Rosen, S.R., Córdoba, F.A. Time resolved optical spectroscopy of the eclipsing intermediate polar EX Hydrae, 228, 463
- Instomin, Y.N. *see* Dogiel, V.A.
- Johnstone, R.M. *see* Fabian, A.C.
- Jones, J. *see* Duffy, A.G.
- Jones, M. *see* Perry, J.J.
- Jones, P.B. Neutron star magnetic field decay: flux expulsion from the superconducting interior, 228, 513
- Jugaku, J. *see* Stewart, G.C.
- Kahn, F.D. *see* O'Brien, T.J.
- Kemp, J.C. *see* Stewart, G.C.
- Kenson, G.D. *see* Stewart, G.C.
- Kifune, T., Sadzinska, M., Wdowczyk, J., Wolfendale, A.W., Norton, A.J., Warwick, R.S. Synchrotron X-ray haloes around gamma ray sources, 228, 243
- Kilkenny, D. Photometry of faint blue stars - VII. More southern stars, 228, 713
- Kraus, D.J. *see* Stewart, G.C.
- Krishna Swamy, K.S., Wallis, M.K. Sulphur compounds in cometary *IUE* spectra, 228, 305
- Kurtz, D.W., Cropper, M.S. A frequency solution to the light variations in the rapidly oscillating Ap star HD 6532: evidence for an *l*-1 oblique dipole oscillation, 228, 125
- Kurtz, D.W., Marang, F. The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations - I. The Rapidly Oscillating Ap star, HD 6532; the F2 IV/V star, HD 6491; and the He-weak B star, HD 5737 (HR 280,  $\alpha$ ScI), 228, 141
- Lahav, O. *see* Harmon, R.T.
- Laing, R.A., Bridle, A.H. Rotation measure variation across M84, 228, 557
- Lambas, D.G. *see* Navarro, J.F.
- Lamers, H.J.L.M. *see* Taylor, A.R.
- Lawrence, A. *see* Unger, S.W.
- Leahy, D.A. *Einstein* X-ray observations of the supernova remnant HB21, 228, 907
- Leggett, S.K., Brand, P.W.J.L., Mountain, C.M. The origin of the far-infrared flux from spiral galaxies, 228, 11p
- Leibowitz, E.M. *see* Stewart, G.C.
- Lewin, W.H.G. *see* Wijers, R.A.M.J.
- Little, L.T. *see* Richards, P.J.
- Lorenzetti, D. *see* Berrilli, F.
- McCulloch, P.M. *see* Biggs, J.D.
- Macry, J.D. *see* Shafter, A.W.
- Madsen, J. Pre-galactic shocks: influence on density perturbations, 228, 229
- Maihara, T. *see* Mizutani, K.
- Manchester, R.N. *see* Biggs, J.D.
- Marang, F. *see* Kurtz, D.W.
- Marsh, T.R. LTE models of the emission lines of the dwarf nova Z Cha, 228, 779
- Mason, K.O. *see* Hellier, C.
- Matsuoka, M. *see* Stewart, G.C.
- Mazeh, T. *see* Stewart, G.C.
- Mehta, S. *see* Pim FitzGerald, M.
- Melott, A.L. Voids and velocities in initially Gaussian models for large-scale structure, 228, 1001
- Meurs, E.J.A. *see* Harmon, R.T.
- Meurs, E.J.A. *see* Unger, S.W.
- Middlemass, D. *see* Clegg, R.E.S.
- Mizutani, K., Suto, H., Takami, H., Maihara, T., Sood, R.K., Thomas, J.A., Shibai, H., Okuda, H. Brackett- $\gamma$  mapping observation of RCW38, 228, 721
- Mobasher, B., Raine, D.J. A dynamical model for the narrow line region of Seyfert galaxies, 228, 159
- Monteiro, T.S., Flower, D.R. Excitation of (O<sub>I</sub>) and (C<sub>I</sub>) fine structure transitions by He and H<sub>2</sub>: a neglected selection rule, 228, 101
- Morisawa, K., Takahara, F. An interpretation of the statistical properties of extragalactic radio sources with a relativistic beaming model, 228, 745
- Morrison, K., Willingale, G.P.H. The photometric variability of the extremely hydrogen-deficient stars KS Persei and LSII + 33° 5, 228, 819
- Morton, D.C. *see* Snijders, M.A.J.
- Mosconi, M.B. *see* Navarro, J.F.
- Moss, D. On the observable magnetic fields of the chemically peculiar stars, 228, 993
- Mountain, C.M. *see* Leggett, S.K.
- Nahmad-Achar, E. Gravitational energy for spherically symmetric configurations, 228, 51p
- Narayan, R., Goldreich, P., Goodman, J. Physics of modes in a differentially rotating system - analysis of the shearing sheet, 228, 1
- Navarro, J.F., Mosconi, M.B., Lambas, D.G. Merging instability in groups of galaxies with dark matter, 228, 501
- Neff, S.G. *see* Saikia, D.J.

- Noguchi, M. Close encounter between galaxies - II. Tidal deformation of a disc galaxy stabilized by massive halo, 228, 635
- Norton, A.J. *see* Kifune, T.
- Nulsen, P.E.J. *see* Thomas, P.A.
- O'Brien, T.J., Kahn, F.D. Models for the remnants of recurrent novae - II. Dynamical effect of radiative heat loss, 228, 277
- O'Donoghue, D., Warner, B. The period structure and stability of the pulsating white dwarf L 19-2, 228, 949
- Okuda, H. *see* Mizutani, K.
- Olsson-Steel, D. Comet Nishikawa-Takamizawa-Tago (1987c) and the Epsilon Geminid meteor shower, 228, 23p
- Omodaka, T. *see* Stewart, G.C.
- Paradijs van, J. *see* Amerongen van, S.
- Paradijs van, J. *see* Wijers, R.A.M.J.
- Pedlar, A. *see* Unger, S.W.
- Perry, J.J., Ward, M.J., Jones, M. 3C 273 and the power-law myth, 228, 623
- Persi, P. *see* Taylor, A.R.
- Phillipps, S. *see* Baxter, D.A.
- Pim FitzGerald, M., Mehta, S. Spectroscopic and photometric observations in Bochum 10 and 11, 228, 545
- Pineau des Forêts, Flower, D.R. Chemical evidence for ambipolar diffusion in interstellar shocks: a suggested observational test, 228, 1p
- Prinja, K. The stellar winds of early-type stars in the Small Magellanic Cloud, 228, 173
- Raine, D.J. *see* Mobasher, B.
- Reddish, V.C., Simmonds, E.W. A new mounting system for very large telescopes - with particular application to the classical Schmidt, 228, 537
- Rees, M.J. Magnetic confinement of broad-line clouds in active galactic nuclei, 228, 47p
- Rephaeli, Y. The extent of beam dilution in measurements of the Zeldovich-Sunyaev effect, 228, 29p
- Richards, P.J., Little, L.T., Toriseva, M., Heaton, B.D. HCO<sup>+</sup> survey of unassociated compact molecular clouds in the *IRAS Point Source Catalog*, 228, 43
- Roberts, M.D. The orbit of Pluto and the cosmological constant, 228, 401
- Roche, P.F., Aitken, D.K., Smith, C.H. The nature of dust grains in the clouds of Magellan: 8-13  $\mu$ m spectra of LMC N44A and SMC N88A, 228, 269
- Roche, P.F. *see* Snijders, M.A.J.
- Rosen, S.R. *see* Hellier, C.
- Ross, R.R. *see* Foster, A.J.
- Roy, J.-R., Walsh, J.R. Imaging spectrophotometry of a chain of giant H II regions in the galaxy NGC 2997, 228, 883
- Sadzinska, M. *see* Kifune, T.
- Sagar, R. Study of interstellar extinction in some young open clusters, 228, 483
- Saikia, D.J., Salter, C.J., Neff, S.G., Gower, A.C., Sinha, R.P., Swarup, G. Radio observations of a few selected blazars, 228, 203
- Salter, C.J. *see* Saikia, D.J.
- Saraceno, P. *see* Berrilli, F.
- Sasaki, M. The magnitude-redshift relation in a perturbed Friedmann universe, 228, 653
- Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F., Wolstencroft, R.D. Optical polarization studies of Herbig Haro objects - III. HH100 in Corona Australis, 228, 533
- Scarrott, S.M., Warren-Smith, R.F., Wolstencroft, R.D., Zinnecker, H. An optical polarization study of the Chamaeleon IR nebula, 228, 827
- Scarrott, S.M., Warren-Smith, R.F. Optical polarization in the jet of 3C273, 228, 35p
- Scarrott, S.M. *see* Wolstencroft, R.D.
- Seagust, E.R. *see* Bode, M.F.
- Seaton, M.J. *see* Snijders, M.A.J.
- Shafter, A.W., Macry, J.D. Spin-down of the white dwarf in the DQ Herculis system FO Aquarii (H2215-086), 228, 193
- Shibai, H. *see* Mizutani, K.
- Simmonds, E.W. *see* Reddish, V.C.
- Sinha, R.P. *see* Saikia, D.J.
- Smith, C.H. *see* Roche, P.F.
- Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C. Novae Aquilae 1982, 228, 329
- Sobouti, Y. *see* Hasan, S.S.
- Sood, R.K. *see* Mizutani, K.
- Spoelstra, T.A.T. *see* Snijders, M.A.J.
- Stewart, G.C., Watson, M.G., Matsuoka, M., Brinkman, W., Jugaku, J., Takagishi, K., Omodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M. Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications, 228, 293
- Stift, M.J. The significance of stellar magnetic field measurements obtained with the photographic technique: the spurious magnetic field of the supergiant Canopus, 228, 109
- Strafella, F. *see* Berrilli, F.
- Suto, H. *see* Mizutani, K.
- Swarup, G. *see* Saikia, D.J.
- Takagishi, K. *see* Stewart, G.C.
- Takahara, F. *see* Morisawa, K.
- Takami, H. *see* Mizutani, K.
- Taylor, A.R., Waters, L.B.F.M., Lamers, H.J.L.M., Persi, P., Bjorkman, K.S. Radio detection of the Be star  $\psi$  Persei, 228, 811
- Taylor, K. *see* Bland, J.
- Thomas, J.A. *see* Mizutani, K.
- Thomas, P.A., Fabian, A.C., Nulsen, P.E.J. Mass deposition in cooling flows - analysis of the X-ray data, 228, 973

## Author index

Thomas, P.A. *see* Fabian, A.C.

Toriseva, M. *see* Richards, P.J.

Unger, S.W., Lawrence, A., Wilson, A.S., Elvis, M.,  
Wright, A.E. Radio observations of a hard X-ray  
selected sample of active galaxies, 228, 521

Unger, S.W., Pedlar, A., Axon, D.J., Whittle, M.,  
Meurs, E.J.A., Ward, M.J. The extended narrow-  
line region in radio Seyferts: evidence for a  
collimated nuclear UV field?, 228, 671

Wallis, M.K. *see* Krishna Swamy, K.S.

Walsh, J.R. *see* Roy, J.-R.

Ward, M.J. *see* Perry, J.J.

Ward, M.J. *see* Unger, S.W.

Warner, B. *see* O'Donoghue, D.

Warren-Smith, R.F. *see* Scarrott, S.M.

Warren-Smith, R.F. *see* Wolstencroft, R.D.

Warwick, R.S. *see* Kifune, T.

Waters, L.B.F.M. *see* Taylor, A.R.

Watson, M.G. *see* Stewart, G.C.

Wdowczyk, J. *see* Kifune, T.

Whittle, M. *see* Unger, S.W.

Wijers, R.A.M.J., Paradijs van, J., Lewin, W.H.G.  
Energy dependent delay measurements of quasi-  
periodic oscillations in low-mass X-ray binaries,  
228, 17p

Wilkinson, A., Browne, I.W.A., Wolstencroft, R.D.  
Shell galaxies detected with *IRAS*, 228, 933

Willingale, G.P.H. *see* Morrison, K.

Wilson, A.S. *see* Unger, S.W.

Wolfendale, A.W. *see* Kifune, T.

Wolstencroft, R.D., Scarrott, S.M., Warren-Smith,  
R.F. An optical counterpart of the infrared  
bipolar nebula NGC 6334 IRS V, 228, 805

Wolstencroft, R.D. *see* Scarrott, S.M.

Wolstencroft, R.D. *see* Wilkinson, A.

Wood, J.H. On the nature of the central object in  
Z Cha, 228, 797

Wright, A.E. *see* Unger, S.W.

Zinnecker, H. *see* Scarrott, S.M.

Zybin, K.P. *see* Dogiel, V.A.

# SUBJECT INDEX

## Abundances of the elements

- Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms – II. The mercury–manganese stars 53 Tauri, Mu Leporis and Kappa Cancr (Adelman, S.J.), 228, 573
- Imaging spectrophotometry of a chain of giant H II regions in the galaxy NGC 2997 (Roy, J.-R., Walsh, J.R.), 228, 883

## Accretion and accretion discs

- Physics of modes in a differentially rotating system – analysis of the shearing sheet (Narayan, R., Goldreich, P., Goodman, J.), 228, 1
- On the stability of compressible differentially rotating cylinders – II (Glatzel, W.), 228, 77
- On the pre-main-sequence evolution of stars with mass accretion (Bhattacharjee, S.K.), 228, 289
- Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications (Stewart, G.C., Watson, M.G., Matsuoka, M., Brinkman, W., Jugaku, J., Takagishi, K., Omodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M.), 228, 293
- Spin-down of the white dwarf in the intermediate polar V1223 Sgr 4U1849-31 (Amerongen van, S., Augusteijn, T., Paradijs van, J.), 228, 377
- Time resolved optical spectroscopy of the eclipsing intermediate polar EX Hydrae (Hellier, C., Mason, K.O., Rosen, S.R., Cordóva, F.A.), 228, 463
- LTE models of the emission lines of the dwarf nova Z Cha (Marsh, T.R.), 228, 779
- On the nature of the central object in Z Cha (Wood, J.H.), 228, 797
- Energy dependent delay measurements of quasi-periodic oscillations in low-mass X-ray binaries (Wijers, R.A.M.J., Paradijs van, J., Lewin, W.H.G.), 228, 17p

## Black holes

- Gravitational energy for spherically symmetric configurations (Nahmad-Achar, E.), 228, 51p

## BL Lac objects

- Radio observations of a few selected blazars (Saikia, D.J., Salter, C.J., Neff, S.G., Gower, A.C., Sinha, R.P., Swarup, G.), 228, 203

- Photometric analysis and decomposition of AP Librae (PKS 1514-24) (Baxter, D.A., Disney, M.J., Philipps, S.), 228, 313

## Celestial mechanics

- Physics of modes in a differentially rotating system – analysis of the shearing sheet (Narayan, R., Goldreich, P., Goodman, J.), 228, 1
- On the stability of compressible differentially rotating cylinders – II (Glatzel, W.), 228, 77
- The orbit of Pluto and the cosmological constant (Roberts, M.D.), 228, 401
- Merging instability in groups of galaxies with dark matter (Navarro, J.F., Mosconi, M.B., Lambas, D.G.), 228, 501
- Close encounter between galaxies – II. Tidal deformation of a disc galaxy stabilized by massive halo (Noguchi, M.), 228, 635
- Comet Nishikawa-Takamizawa-Tago (1987c) and the Epsilon Geminid meteor shower (Olsson-Steel, D.), 228, 23p

## Comets

- Sulphur compounds in cometary *IUE* spectra (Krishna Swamy, K.S., Wallis, M.K.), 228, 305
- Comet Nishikawa-Takamizawa-Tago (1987c) and the Epsilon Geminid meteor shower (Olsson-Steel, D.), 228, 23p

## Cosmic rays

- Radio survey of classical novae (Bode, M.F., Seaquist, E.R., Evans, A.), 228, 217
- Synchrotron X-ray haloes around gamma ray sources (Kifune, T., Sadzinska, M., Wdowczyk, J., Wolfendale, A.W., Norton, A.J., Warwick, R.S.), 228, 243
- On relativistic particle acceleration in molecular clouds (Dogiel, V.A., Gurevich, A.V., Instomin, Y.N., Zybin, K.P.), 228, 843

## Cosmology

- Pre-galactic shocks: influence on density perturbations (Madsen, J.), 228, 229
- The orbit of Pluto and the cosmological constant (Roberts, M.D.), 228, 401



## Subject index

- Non-Gaussian statistics and the microwave background radiation (Coles, P., Barrow, J.D.), 228, 407  
The magnitude-redshift relation in a perturbed Friedmann universe (Sasaki, M.), 228, 653  
The alignment of galaxy clusters (Flin, P.), 228, 941  
Voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), 228, 1001  
Are voids found in the Lyman-alpha forest? (Crotts, A.P.S.), 228, 41P

## Galactic structure and stellar dynamics

- Physics of modes in a differentially rotating system - analysis of the shearing sheet (Narayan, R., Goldreich, P., Goodman, J.), 228, 1  
The structure and kinematics of the ionized gas within NGC 5128 (Cen A) - I. TAURUS observations (Bland, J., Taylor, K., Atherton, P.D.), 228, 595  
Close encounter between galaxies - II. Tidal deformation of a disc galaxy stabilized by massive halo (Noguchi, M.), 228, 635

## Galaxies

- Imaging spectrophotometry of a chain of giant H II regions in the galaxy NGC 2997 (Roy, J.-R., Walsh, J.R.), 228, 883  
Shell galaxies detected with IRAS (Wilkinson, A., Browne, I.W.A., Wolstencroft, R.D.), 228, 933  
The dipole anisotropy of a new, colour-selected, IRAS galaxy sample (Harmon, R.T., Lahav, O., Meurs, E.J.A.), 228, 5P  
The origin of the far-infrared flux from spiral galaxies (Leggett, S.K., Brand, P.W.J.L., Mountain, C.M.), 228, 11P

## Galaxies - active

- Photometric analysis and decomposition of AP Librae (PKS 1514-24) (Baxter, D.A., Disney, M.J., Philipps, S.), 228, 313  
Radio observations of a hard X-ray selected sample of active galaxies (Unger, S.W., Lawrence, A., Wilson, A.S., Elvis, M., Wright, A.E.), 228, 521  
Rotation measure variation across M84 (Laing, R.A., Bridle, A.H.), 228, 557  
The structure and kinematics of the ionized gas within NGC 5128 (Cen A) - I. TAURUS observations (Bland, J., Taylor, K., Atherton, P.D.), 228, 595  
An interpretation of the statistical properties of extragalactic radio sources with a relativistic beaming model (Morisawa, K., Takahara, F.), 228, 745

- Magnetic confinement of broad-line clouds in active galactic nuclei (Rees, M.J.), 228, 47P

## Galaxies - formation of

- Pre-galactic shocks: influence on density perturbations (Madsen, J.), 228, 229  
Voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), 228, 1001

## Galaxies - nuclei of

- Magnetic confinement of broad-line clouds in active galactic nuclei (Rees, M.J.), 228, 47P

## Galaxies - Seyfert

- A dynamical model for the narrow line region of Seyfert galaxies (Mobasher, B., Raine, D.J.), 228, 159  
The extended narrow-line region in radio Seyferts: evidence for a collimated nuclear UV field? (Unger, S.W., Pedlar, A., Axon, D.J., Whittle, M., Meurs, E.J.A., Ward, M.J.), 228, 671

## Galaxy clusters

- Non-Gaussian statistics and the microwave background radiation (Coles, P., Barrow, J.D.), 228, 407  
Merging instability in groups of galaxies with dark matter (Navarro, J.F., Mosconi, M.B., Lambas, D.G.), 228, 501  
The alignment of galaxy clusters (Flin, P.), 228, 941  
A cooling flow around the quasar 3C 48 (Fabian, A.C., Crawford, C.S., Johnstone, R.M., Thomas, P.A.), 228, 963  
Mass deposition in cooling flows - analysis of the X-ray data (Thomas, P.A., Fabian, A.C., Nulsen, P.E.J.), 228, 973  
Voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), 228, 1001  
The dipole anisotropy of a new, colour-selected, IRAS galaxy sample (Harmon, R.T., Lahav, O., Meurs, E.J.A.), 228, 5P  
The extent of beam dilution in measurements of the Zeldovich-Sunyaev effect (Rephaeli, Y.), 228, 29P

## Gamma-ray astronomy

- Synchrotron X-ray haloes around gamma ray sources (Kifune, T., Sadzinska, M., Wdowczyk, J., Wolfendale, A.W., Norton, A.J., Warwick, R.S.), 228, 243



## Gravitation and gravitational radiation

- The orbit of Pluto and the cosmological constant (Roberts, M.D.), 228, 401  
 Gravitational energy for spherically symmetric configurations (Nahmad-Achar, E.), 228, 51p

## Herbig-Haro objects

- Optical polarization studies of Herbig Haro objects – III HH100 in Corona Australis (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F., Wolstencroft, R.D.), 228, 533

## Infrared astronomy

- HCO<sup>+</sup> survey of unassociated compact molecular clouds in the *IRAS Point Source Catalog* (Richards, P.J., Little, L.T., Toriseva, M., Heaton, B.D.), 228, 43  
 The nature of dust grains in the clouds of Magellan: 8–13  $\mu$ m spectra of LMC N44A and SMC N88A (Roche, P.F., Aitken, D.K., Smith, C.H.), 228, 269  
 Brackett- $\gamma$  mapping observation of RCW38 (Mizutani, K., Suto, H., Takami, H., Maihara, T., Sood, R.K., Thomas, J.A., Shibai, H., Okuda, H.), 228, 721  
 A new analysis of the infrared eclipses of the ultra-short period dwarf nova OY Carinae (Berriman, G.), 228, 729  
 An optical counterpart of the infrared bipolar nebula NGC 6334 IRS V (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F.), 228, 805  
 Radio detection of the Be star  $\psi$  Persei (Taylor, A.R., Waters, L.B.F.M., Lames, H.J.L.M., Persi, P., Bjorkman, K.S.), 228, 811  
 An optical polarization study of the Chamaeleon IR nebula (Scarrott, S.M., Warren-Smith, R.F., Wolstencroft, R.D., Zinnecker, H.), 228, 827  
 Multiband photometry (8–13  $\mu$ m) of Herbig Ae/Be stars (Berrilli, F., Lorenzetti, D., Saraceno, P., Strafella, F.), 228, 833  
 Shell galaxies detected with *IRAS* (Wilkinson, A., Browne, I.W.A., Wolstencroft, R.D.), 228, 933  
 The dipole anisotropy of a new, colour-selected, *IRAS* galaxy sample (Harmon, R.T., Lahav, O., Meurs, E.J.A.), 228, 5p  
 The origin of the far-infrared flux from spiral galaxies (Leggett, S.K., Brand, P.W.J.L., Mountain, C.M.), 228, 11p

## Instruments and techniques

- The determination of shower meteor parameters from single station observations (Duffy, A.G., Hawkes, R.L., Jones, J.), 228, 55

## The significance of stellar magnetic field

- measurements obtained with the photographic technique: the spurious magnetic field of the supergiant Canopus (Stift, M.J.), 228, 109  
 A new mounting system for very large telescopes – with particular application to the classical Schmidt (Reddish, V.C., Simmonds, E.W.), 228, 537

## Intergalactic medium

- Rotation measure variation across M84 (Laing, R.A., Bridle, A.H.), 228, 557  
 A cooling flow around the quasar 3C 48 (Fabian, A.C., Crawford, C.S., Johnstone, R.M., Thomas, P.A.), 228, 963  
 Mass deposition in cooling flows – analysis of the X-ray data (Thomas, P.A., Fabian, A.C., Nulsen, P.E.J.), 228, 973  
 Are voids found in the Lyman-alpha forest? (Crofts, A.P.S.), 228, 41p

## Interstellar grains

- The nature of dust grains in the clouds of Magellan: 8–13  $\mu$ m spectra of LMC N44A and SMC N88A (Roche, P.F., Aitken, D.K., Smith, C.H.), 228, 269  
 Study of interstellar extinction in some young open clusters (Sagar, R.), 228, 483  
 Brackett- $\gamma$  mapping observation of RCW38 (Mizutani, K., Suto, H., Takami, H., Maihara, T., Sood, R.K., Thomas, J.A., Shibai, H., Okuda, H.), 228, 721  
 Multiband photometry (8–13  $\mu$ m) of Herbig Ae/Be stars (Berrilli, F., Lorenzetti, D., Saraceno, P., Strafella, F.), 228, 833  
 The origin of the far-infrared flux from spiral galaxies (Leggett, S.K., Brand, P.W.J.L., Mountain, C.M.), 228, 11p

## Interstellar medium

- Excitation of (O I) and (C I) fine structure transitions by He and H<sub>2</sub>: a neglected selection rule (Monteiro, T.S., Flower, D.R.), 228, 101  
 A dynamical model for the narrow line region of Seyfert galaxies (Mobasher, B., Raine, D.J.), 228, 159  
 Steady models of radiatively modified conductively driven evaporation from interstellar clouds (Bohringer, H., Hanquist, T.W.), 228, 915  
 Chemical evidence for ambipolar diffusion in interstellar shocks: a suggested observational test (Pineau des Forêts, Flower, D.R.), 228, 1p

## Subject index

### Magellanic Clouds

- The stellar winds of early-type stars in the Small Magellanic Cloud (Prinja, K.), 228, 173  
The nature of dust grains in the clouds of Magellan: 8–13  $\mu$ m spectra of LMC N44A and SMC N88A (Roche, P.F., Aitken, D.K., Smith, C.H.), 228, 269

### Masers

- The formation of discrete high velocity molecular features (Hartquist, T.W., Dyson, J.E.), 228, 957

### Meteors

- The determination of shower meteor parameters from single station observations (Duffy, A.G., Hawkes, R.L., Jones, J.), 228, 55  
Comet Nishikawa–Takamizawa–Tago (1987c) and the Epsilon Geminid meteor shower (Olsson-Steel, D.), 228, 23p

### Microwave background

- Non-Gaussian statistics and the microwave background radiation (Coles, P., Barrow, J.D.), 228, 407  
The dipole anisotropy of a new, colour-selected, *IRAS* galaxy sample (Harmon, R.T., Lahav, O., Meurs, E.J.A.), 228, 5p  
The extent of beam dilution in measurements of the Zeldovich–Sunyaev effect (Rephaeli, Y.), 228, 29p

### Molecules and molecular clouds

- HCO<sup>+</sup> survey of unassociated compact molecular clouds in the *IRAS Point Source Catalog* (Richards, P.J., Little, L.T., Toriseva, M., Heaton, B.D.), 228, 43  
Sulphur compounds in cometary *IUE* spectra (Krishna Swamy, K.S., Wallis, M.K.), 228, 305  
Brackett- $\gamma$  mapping observation of RCW38 (Mizutani, K., Suto, H., Takami, H., Maihara, T., Sood, R.K., Thomas, J.A., Shibai, H., Okuda, H.), 228, 721  
On relativistic particle acceleration in molecular clouds (Dogiel, V.A., Gurevich, A.V., Instomin, Y.N., Zybin, K.P.), 228, 843  
The formation of discrete high velocity molecular features (Hartquist, T.W., Dyson, J.E.), 228, 957  
Chemical evidence for ambipolar diffusion in interstellar shocks: a suggested observational test (Pineau des Forêts, Flower, D.R.), 228, 1p  
The origin of the far-infrared flux from spiral galaxies (Leggett, S.K., Brand, P.W.J.L., Mountain, C.M.), 228, 11p

### Nebulae – gaseous

- Brackett- $\gamma$  mapping observation of RCW38 (Mizutani, K., Suto, H., Takami, H., Maihara, T., Sood, R.K., Thomas, J.A., Shibai, H., Okuda, H.), 228, 721  
Imaging spectrophotometry of a chain of giant H II regions in the galaxy NGC 2997 (Roy, J.-R., Walsh, J.R.), 228, 883  
Steady models of radiatively modified conductively driven evaporation from interstellar clouds (Bohringer, H., Hartquist, T.W.), 228, 915

### Nebulae – planetary

- Non-LTE model atmospheres for central stars of planetary nebulae (Clegg, R.E.S., Middlemass, D.), 228, 759

### Nebulae – reflection

- Optical polarization studies of Herbig Haro objects – III. HH100 in Corona Australis (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F., Wolstencroft, R.D.), 228, 533  
An optical counterpart of the infrared bipolar nebula NGC 6334 IRS V (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F.), 228, 805  
An optical polarization study of the Chamaeleon IR nebula (Scarrott, S.M., Warren-Smith, R.F., Wolstencroft, R.D., Zinnecker, H.), 228, 827

### Neutron stars

- The formation of iron features in the cooling spectrum of X-ray bursts (Foster, A.J., Ross, R.R., Fabian, A.C.), 228, 259  
Neutron star magnetic field decay: flux expulsion from the superconducting interior (Jones, P.B.), 228, 513

### Novae

- Radio survey of classical novae (Bode, M.F., Seagrist, E.R., Evans, A.), 228, 217  
Models for the remnants of recurrent novae – II. Dynamical effect of radiative heat loss (O'Brien, T.J., Kahn, F.D.), 228, 277  
Novae Aquilae 1982 (Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C.), 228, 329  
A new analysis of the infrared eclipses of the ultra-short period dwarf nova OY Carinae (Berriman, G.), 228, 729  
LTE models of the emission lines of the dwarf nova Z Cha (Marsh, T.R.), 228, 779  
On the nature of the central object in Z Cha (Wood, J.H.), 228, 797

## Photometry – non-stellar

- Photometric analysis and decomposition of AP Librae (PKS 1514-24) (Baxter, D.A., Disney, M.J., Philipps, S.), 228, 313

## Physical processes

- Physics of modes in a differentially rotating system – analysis of the shearing sheet (Narayan, R., Goldreich, P., Goodman, J.), 228, 1
- On the stability of compressible differentially rotating cylinders – II (Glatzel, W.), 228, 77
- Pre-galactic shocks: influence on density perturbations (Madsen, J.), 228, 229
- Synchrotron X-ray haloes around gamma ray sources (Kifune, T., Sadzinska, M., Wdowczyk, J., Wolfendale, A.W., Norton, A.J., Warwick, R.S.) 228, 243
- Models for the remnants of recurrent novae – II. Dynamical effect of radiative heat loss (O'Brien, T.J., Kahn, F.D.), 228, 277
- Mode classification and wave propagation in a magnetically structured medium (Hasan, S.S., Sobouti, Y.), 228, 427
- Mass loaded astronomical flows – III. The structure of supernova remnants and the local soft X-ray background (Dyson, J.E., Hartquist, T.W.), 228, 453
- Neutron star magnetic field decay: flux expulsion from the superconducting interior (Jones, P.B.), 228, 513
- Reaction rates and spectra in relativistic plasmas (Baring, M.), 228, 681
- The effect of cooling processes on the tail of a relativistic thermal pair distribution (Baring, M.), 228, 695
- An interpretation of the statistical properties of extragalactic radio sources with a relativistic beaming model (Morisawa, K., Takahara, F.), 228, 745
- On relativistic particle acceleration in molecular clouds (Dogiel, V.A., Gurevich, A.V., Istomin, Y.N., Zybin, K.P.), 228, 843
- Steady models of radiatively modified conductively driven evaporation from interstellar clouds (Bohringer, H., Hartquist, T.W.), 228, 915
- The formation of discrete high velocity molecular features (Hartquist, T.W., Dyson, J.E.), 228, 957
- Chemical evidence for ambipolar diffusion in interstellar shocks: a suggested observational test (Pineau des Forêts, Flower, D.R.), 228, 1P
- Energy dependent delay measurements of quasi-periodic oscillations in low-mass X-ray binaries (Wijers, R.A.M.J., Paradijs van, J., Lewin, W.H.G.), 228, 17P

## Planets

- The orbit of Pluto and the cosmological constant (Roberts, M.D.), 228, 401

## Polarization of starlight

- Polarimetry of BL Hyi (H0139-68) in high and low states (Cropper, M.), 228, 389
- Optical polarization studies of Herbig Haro objects – III. HH100 in Corona Australis (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F., Wolstencroft, R.D.), 228, 533
- An optical counterpart of the infrared bipolar nebula NGC 6334 IRS V (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F.), 228, 805
- An optical polarization study of the Chamaeleon IR nebula (Scarrott, S.M., Warren-Smith, R.F., Wolstencroft, R.D., Zinnecker, H.), 228, 827
- Optical polarization in the jet of 3C273 (Scarrott, S.M., Warren-Smith, R.F.), 228, 35P

## Pulsars

- The drifting subpulses of PSR 0818-13 (Biggs, J.D., McCulloch, P.M., Hamilton, P.A., Manchester, R.N.), 228, 119

## Quasars

- Radio observations of a few selected blazars (Saikia, D.J., Salter, C.J., Neff, S.G., Gower, A.C., Sinha, R.P., Swarup, G.), 228, 203
- 3C 273 and the power-law myth (Perry, J.J., Ward, M.J., Jones, M.), 228, 623
- An interpretation of the statistical properties of extragalactic radio sources with a relativistic beaming model (Morisawa, K., Takahara, F.), 228, 745
- A cooling flow around the quasar 3C 48 (Fabian, A.C., Crawford, C.S., Johnstone, R.M., Thomas, P.A.), 228, 963
- Optical polarization in the jet of 3C273 (Scarrott, S.M., Warren-Smith, R.F.), 228, 35P
- Are voids found in the Lyman-alpha forest? (Crotts, A.P.S.), 228, 41P

## Radiative transfer

- Non-Gaussian statistics and the microwave background radiation (Coles, P., Barrow, J.D.), 228, 407
- Reaction rates and spectra in relativistic plasmas (Baring, M.), 228, 681
- The effect of cooling processes on the tail of a relativistic thermal pair distribution (Baring, M.), 228, 695

## Subject index

### Radio astronomy

- HCO<sup>+</sup> survey of unassociated compact molecular clouds in the *IRAS Point Source Catalog* (Richards, P.J., Little, L.T., Toriseva, M., Heaton, B.D.), 228, 43
- The drifting subpulses of PSR 0818-13 (Biggs, J.D., McCulloch, P.M., Hamilton, P.A., Manchester, R.N.), 228, 119
- Radio observations of a few selected blazars (Saikia, D.J., Salter, C.J., Neff, S.G., Gower, A.C., Sinha, R.P., Swarup, G.), 228, 203
- Radio survey of classical novae (Bode, M.F., Seaquist, E.R., Evans, A.), 228, 217
- Novae Aquilae 1982 (Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C.), 228, 329
- Radio observations of a hard X-ray selected sample of active galaxies (Unger, S.W., Lawrence, A., Wilson, A.S., Elvis, M., Wright, A.E.), 228, 521
- Rotation measure variation across M84 (Laing, R.A., Bridle, A.H.), 228, 557
- 3C 273 and the power-law myth (Perry, J.J., Ward, M.J., Jones, M.), 228, 623
- The extended narrow-line region in radio Seyferts: evidence for a collimated nuclear UV field? (Unger, S.W., Pedlar, A., Axon, D.J., Whittle, M., Meurs, E.J.A., Ward, M.J.), 228, 671
- An interpretation of the statistical properties of extragalactic radio sources with a relativistic beaming model (Morisawa, K., Takahara, F.), 228, 745
- Radio detection of the Be star  $\psi$  Persei (Taylor, A.R., Waters, L.B.F.M., Lames, H.J.L.M., Persi, P., Bjorkman, K.S.), 228, 811
- Shell galaxies detected with *IRAS* (Wilkinson, A., Browne, I.W.A., Wolstencroft, R.D.), 228, 933
- The extent of beam dilution in measurements of the Zeldovich-Sunyaev effect (Rephaeli, Y.), 228, 29p

### Relativity

- Reaction rates and spectra in relativistic plasmas (Baring, M.), 228, 681
- The effect of cooling processes on the tail of a relativistic thermal pair distribution (Baring, M.), 228, 695
- Gravitational energy for spherically symmetric configurations (Nahmad-Achar, E.), 228, 51p

### Spectroscopy

- Excitation of (O<sub>I</sub>) and (C<sub>I</sub>) fine structure transitions by He and H<sub>2</sub>: a neglected selection rule (Monteiro, T.S., Flower, D.R.), 228, 101

- The formation of iron features in the cooling spectrum of X-ray bursts (Foster, A.J., Ross, R.R., Fabian, A.C.), 228, 259
- Sulphur compounds in cometary *IUE* spectra (Krishna Swamy, K.S., Wallis, M.K.), 228, 305

### Stars – atmospheres of

- Non-LTE model atmospheres for central stars of planetary nebulae (Clegg, R.E.S., Middlemass, D.), 228, 759

### Stars – binary

- Spin-down of the white dwarf in the DQ Herculis system FO Aquarii (H2215-086) (Shafter, A.W., Macry, J.D.), 228, 193
- Observations of X-ray emission from the RS CVn binary HD 155555 and the detection of a nearby serendipitous source (Barstow, M.A.), 228, 251
- Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications (Stewart, G.C., Watson, M.G., Matsuoka, M., Brinkman, W., Jugaku, J., Takagishi, K., Omodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M.), 228, 293
- Spin-down of the white dwarf in the intermediate polar V1223 Sgr 4U1849-31 (Amerongen van, S., Augusteijn, T., Paradijs van, J.), 228, 377
- Polarimetry of BL Hyi (H0139-68) in high and low states (Cropper, M.), 228, 389
- Time resolved optical spectroscopy of the eclipsing intermediate polar EX Hydrae (Hellier, C., Mason, K.O., Rosen, S.R., Cordova, F.A.), 228, 463
- A new analysis of the infrared eclipses of the ultra-short period dwarf nova OY Carinae (Berriman, G.), 228, 729
- LTE models of the emission lines of the dwarf nova Z Cha (Marsh, T.R.), 228, 779
- On the nature of the central object in Z Cha (Wood, J.H.), 228, 797
- H $\alpha$  region spectroscopy of the RS CVn system HR 5110, (Eker, Z., Doherty, L.R.), 228, 869
- Energy dependent delay measurements of quasi-periodic oscillations in low-mass X-ray binaries (Wijers, R.A.M.J., Paradijs van, J., Lewin, W.H.G.), 228, 17p
- Stars – chemical composition of**
- Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms – II. The mercury-manganese stars 53 Tauri, Mu Leporis and Kappa Cancri (Adelman, S.J.), 228, 573
- On the observable magnetic fields of the chemically peculiar stars (Moss, D.), 228, 993

## Stars – clusters of

- Study of interstellar extinction in some young open clusters (Sagar, R.), 228, 483
- Spectroscopic and photometric observations in Bochum 10 and 11 (Pim FitzGerald, M., Mehta, S.), 228, 545

## Stars – magnetic fields in

- The significance of stellar magnetic field measurements obtained with the photographic technique: the spurious magnetic field of the supergiant Canopus (Stift, M.J.), 228, 109
- A frequency solution to the light variations in the rapidly oscillating Ap star HD 6532: evidence for an  $l=1$  oblique dipole oscillation (Kurtz, D.W., Cropper, M.S.), 228, 125
- The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations – I. The Rapidly Oscillating Ap star, HD 6532; the F2 IV/V star, HD 6491; and the He-weak B star, HD 5737 (HR 280,  $\alpha$ ScI) (Kurtz, D.W., Marang, F.), 228, 141
- Spin-down of the white dwarf in the DQ Herculis system FO Aquarii (H2215-086) (Shafter, A.W., Macry, J.D.), 228, 193
- Spin-down of the white dwarf in the intermediate polar V1223 Sgr 4U1849-31 (Amerongen van, S., Augusteijn, T., Paradijs van, J.), 228, 377
- Polarimetry of BL Hyi (H0139-68) in high and low states (Cropper, M.), 228, 389
- Mode classification and wave propagation in a magnetically structured medium (Hasan, S.S., Sobouti, Y.), 228, 427
- Time resolved optical spectroscopy of the eclipsing intermediate polar EX Hydrae (Hellier, C., Mason, K.O., Rosen, S.R., Córdova, F.A.), 228, 463
- Neutron star magnetic field decay: flux expulsion from the superconducting interior (Jones, P.B.), 228, 513
- On the observable magnetic fields of the chemically peculiar stars (Moss, D.), 228, 993

## Stars – mass loss from

- The stellar winds of early-type stars in the Small Magellanic Cloud (Prinja, K.), 228, 173
- Models for the remnants of recurrent novae – II. Dynamical effect of radiative heat loss (O'Brien, T.J., Kahn, F.D.), 228, 277
- Novae Aquilae 1982 (Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C.), 228, 329
- Non-LTE model atmospheres for central stars of planetary nebulae (Clegg, R.E.S., Middlemass, D.), 228, 759

- On the nature of the central object in Z Cha (Wood, J.H.), 228, 797
- An optical counterpart of the infrared bipolar nebula NGC 6334 IRS V (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F.), 228, 805
- Radio detection of the Be star  $\psi$  Persei (Taylor, A.R., Waters, L.B.F.M., Lames, H.J.L.M., Persi, P., Bjorkman, K.S.), 228, 811
- The formation of discrete high velocity molecular features (Hartquist, T.W., Dyson, J.E.), 228, 957

## Stars – photometry of

- A frequency solution to the light variations in the rapidly oscillating Ap star HD 6532: evidence for an  $l=1$  oblique dipole oscillation (Kurtz, D.W., Cropper, M.S.), 228, 125
- The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations – I. The Rapidly Oscillating Ap star, HD 6532; the F2 IV/V star, HD 6491; and the He-weak B star, HD 5737 (HR 280,  $\alpha$ ScI) (Kurtz, D.W., Marang, F.), 228, 141
- Spin-down of the white dwarf in the DQ Herculis system FO Aquarii (H2215-086) (Shafter, A.W., Macry, J.D.), 228, 193
- Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications (Stewart, G.C., Watson, M.G., Matsuoka, M., Brinkman, W., Jugaku, J., Takagishi, K., Omodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M.), 228, 293
- Novae Aquilae 1982 (Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C.), 228, 329
- Spin-down of the white dwarf in the intermediate polar V1223 Sgr 4U1849-31 (Amerongen van, S., Augusteijn, T., Paradijs van, J.), 228, 377
- Polarimetry of BL Hyi (H0139-68) in high and low states (Cropper, M.), 228, 389
- Study of interstellar extinction in some young open clusters (Sagar, R.), 228, 483
- Spectroscopic and photometric observations in Bochum 10 and 11 (Pim FitzGerald, M., Mehta, S.), 228, 545
- Photometry of faint blue stars = VII. More southern stars (Kilkenny, D.), 228, 713
- A new analysis of the infrared eclipses of the ultra-short period dwarf nova OY Carinae (Berriman, G.), 228, 729
- The photometric variability of the extremely hydrogen-deficient stars KS Persei and LSII + 33° 5 (Morrison, K., Willingale, G.P.H.), 228, 819
- Multiband photometry (8–13  $\mu$ m) of Herbig Ae/Be stars (Berrilli, F., Lorenzetti, D., Saraceno, P., Strafella, F.), 228, 833
- The period structure and stability of the pulsating white dwarf L 19-2 (O'Donoghue, D., Warner, B.), 228, 949

## Subject index

### Stars – rotation of

Spin-down of the white dwarf in the intermediate polar V1223 Sgr 4U1849-31 (Amerongen van, S., Augusteijn, T., Paradijs van, J.), 228, 377

### Stars – spectroscopy of

The significance of stellar magnetic field measurements obtained with the photographic technique: the spurious magnetic field of the supergiant Canopus (Stift, M.J.), 228, 109

The stellar winds of early-type stars in the Small Magellanic Cloud (Prinja, K.), 228, 173

Time resolved optical spectroscopy of the eclipsing intermediate polar EX Hydrae (Hellier, C., Mason, K.O., Rosen, S.R., Córdoba, F.A.), 228, 463

Spectroscopic and photometric observations in Bochum 10 and 11 (Pim FitzGerald, M., Mehta, S.), 228, 545

Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms – II. The mercury-manganese stars 53 Tauri, Mu Leporis and Kappa Cancri (Adelman, S.J.), 228, 573

LTE models of the emission lines of the dwarf nova Z Cha (Marsh, T.R.), 228, 779

H $\alpha$  region spectroscopy of the RS CVn system HR 5110, (Eker, Z., Doherty, L.R.), 228, 869

### Stars – structure and evolution of

On the pre-main-sequence evolution of stars with mass accretion (Bhattacharjee, S.K.), 228, 289

The period structure and stability of the pulsating white dwarf L 19-2 (O'Donoghue, D., Warner, B.), 228, 949

### Stars – variable

A frequency solution to the light variations in the rapidly oscillating Ap star HD 6532: evidence for an  $l=1$  oblique dipole oscillation (Kurtz, D.W., Cropper, M.S.), 228, 125

The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations – I. The Rapidly Oscillating Ap star, HD 6532; the F2 IV/V star, HD 6491; and the He-weak B star, HD 5737 (HR 280,  $\alpha$  Scl) (Kurtz, D.W., Marang, F.), 228, 141

Spin-down of the white dwarf in the DQ Herculis system FO Aquarii (H2215-086) (Shafter, A.W., Macry, J.D.), 228, 193

Observations of X-ray emission from the RS CVn binary HD 155555 and the detection of a nearby serendipitous source (Barstow, M.A.), 228, 251

Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications (Stewart, G.C., Watson, M.G., Matsuoaka, M., Brinkman, W., Jugaku, J., Takagishi, K., Omodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M.), 228, 293

Polarimetry of BL Hyi (H0139-68) in high and low states (Cropper, M.), 228, 389

The photometric variability of the extremely hydrogen-deficient stars KS Persei and LSII + 33° 5 (Morrison, K., Willingale, G.P.H.), 228, 819

The period structure and stability of the pulsating white dwarf L 19-2 (O'Donoghue, D., Warner, B.), 228, 949

### Sun

Mode classification and wave propagation in a magnetically structured medium (Hasan, S.S., Sobouti, Y.), 228, 427

### Supernovae and supernova remnants

Pre-galactic shocks: influence on density perturbations (Madsen, J.), 228, 229

Mass loaded astronomical flows – III. The structure of supernova remnants and the local soft X-ray background (Dyson, J.E., Hartquist, T.W.), 228, 453

Einstein X-ray observations of the supernova remnant HB21 (Leahy, D.A.), 228, 907

### Ultraviolet astronomy

The stellar winds of early-type stars in the Small Magellanic Cloud (Prinja, K.), 228, 173

Sulphur compounds in cometary IUE spectra (Krishna Swamy, K.S., Wallis, M.K.), 228, 305

Novae Aquilae 1982 (Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C.), 228, 329

Radio detection of the Be star  $\psi$  Persei (Taylor, A.R., Waters, L.B.F.M., Lanes, H.J.L.M., Persi, P., Bjorkman, K.S.), 228, 811

### X-ray astronomy

Synchrotron X-ray haloes around gamma ray sources (Kifune, T., Sadzinska, M., Wdowczyk, J., Wolfendale, A.W., Norton, A.J., Warwick, R.S.), 228, 243

Observations of X-ray emission from the RS CVn binary HD 155555 and the detection of a nearby serendipitous source (Barstow, M.A.), 228, 251



The formation of iron features in the cooling spectrum of X-ray bursts (Foster, A.J., Ross, R.R., Fabian, A.C.), 228, 259

Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications (Stewart, G.C., Watson, M.G., Matsuoka, M., Brinkman, W., Jugaku, J., Takagishi, K., Omodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M.), 228, 293

Mass loaded astronomical flows - III. The structure of supernova remnants and the local soft X-ray background (Dyson, J.E., Hartquist, T.W.), 228, 453

Radio observations of a hard X-ray selected sample of active galaxies (Unger, S.W., Lawrence, A., Wilson, A.S., Elvis, M., Wright, A.E.), 228, 521  
3C 273 and the power-law myth (Perry, J.J., Ward, M.J., Jones, M.), 228, 623

*Einstein* X-ray observations of the supernova remnant HB21 (Leahy, D.A.), 228, 907

Mass deposition in cooling flows - analysis of the X-ray data (Thomas, P.A., Fabian, A.C., Nulsen, P.E.J.), 228, 973

Energy dependent delay measurements of quasi-periodic oscillations in low-mass X-ray binaries (Wijers, R.A.M.J., Paradijs van, J., Lewin, W.H.G.), 228, 17p